



---

## Healthy Lifestyle

# Nutrition and healthy eating

**The DASH diet emphasizes portion size, eating a variety of foods and getting the right amount of nutrients. Discover how DASH can improve your health and lower your blood pressure.**

By [Mayo Clinic Staff](#)

DASH stands for Dietary Approaches to Stop Hypertension. The DASH diet is a lifelong approach to healthy eating that's designed to help treat or prevent high blood pressure (hypertension). The DASH diet encourages you to reduce the sodium in your diet and eat a variety of foods rich in nutrients that help lower blood pressure, such as potassium, calcium and magnesium.

By following the DASH diet, you may be able to reduce your blood pressure by a few points in just two weeks. Over time, your systolic blood pressure could drop by eight to 14 points, which can make a significant difference in your health risks.

Because the DASH diet is a healthy way of eating, it offers health benefits besides just lowering blood pressure. The DASH diet is also in line with dietary recommendations to prevent osteoporosis, cancer, heart disease, stroke and diabetes.

The DASH diet emphasizes vegetables, fruits and low-fat dairy foods — and moderate amounts of whole grains, fish, poultry and nuts.

In addition to the standard DASH diet, there is also a lower sodium version of the diet. You can choose the version of the diet that meets your health needs:

- **Standard DASH diet.** You can consume up to 2,300 milligrams (mg) of sodium a day.
- **Lower sodium DASH diet.** You can consume up to 1,500 mg of sodium a day.

Both versions of the DASH diet aim to reduce the amount of sodium in your diet compared with what you might get in a typical American diet, which can amount to a whopping 3,400 mg of sodium a day or more.

The standard DASH diet meets the recommendation from the Dietary Guidelines for Americans to keep daily sodium intake to less than 2,300 mg a day.

The American Heart Association recommends 1,500 mg a day of sodium as an upper limit for all adults. If you aren't sure what sodium level is right for you, talk to your doctor.

Both versions of the DASH diet include lots of whole grains, fruits, vegetables and low-fat dairy products. The DASH diet also includes some fish, poultry and legumes, and encourages a small amount of nuts and seeds a few times a week.

You can eat red meat, sweets and fats in small amounts. The DASH diet is low in saturated fat, cholesterol and total fat.

Here's a look at the recommended servings from each food group for the 2,000-calorie-a-day DASH diet.

### **Grains: 6 to 8 servings a day**

Grains include bread, cereal, rice and pasta. Examples of one serving of grains include 1 slice whole-wheat bread, 1 ounce dry cereal, or 1/2 cup cooked cereal, rice or pasta.

- Focus on whole grains because they have more fiber and nutrients than do refined grains. For instance, use brown rice instead of white rice, whole-wheat pasta instead of regular pasta and whole-grain bread instead of white bread. Look for products labeled "100 percent whole grain" or "100 percent whole wheat."
- Grains are naturally low in fat. Keep them this way by avoiding butter, cream and cheese sauces.

### **Vegetables: 4 to 5 servings a day**

Tomatoes, carrots, broccoli, sweet potatoes, greens and other vegetables are full of fiber, vitamins, and such minerals as potassium and magnesium. Examples of one serving include 1 cup raw leafy green vegetables or 1/2 cup cut-up raw or cooked vegetables.

- Don't think of vegetables only as side dishes — a hearty blend of vegetables served over brown rice or whole-wheat noodles can serve as the main dish for a meal.
- Fresh and frozen vegetables are both good choices. When buying frozen and canned vegetables, choose those labeled as low sodium or without added salt.
- To increase the number of servings you fit in daily, be creative. In a stir-fry, for instance, cut the amount of meat in half and double up on the vegetables.

### **Fruits: 4 to 5 servings a day**

Many fruits need little preparation to become a healthy part of a meal or snack. Like vegetables, they're packed with fiber, potassium and magnesium and are typically low in fat — coconuts are an exception. Examples of one serving include one medium fruit, 1/2 cup fresh, frozen or canned fruit, or 4 ounces of juice.

- Have a piece of fruit with meals and one as a snack, then round out your day with a dessert of fresh fruits topped with a dollop of low-fat yogurt.
- Leave on edible peels whenever possible. The peels of apples, pears and most fruits with pits add interesting texture to recipes and contain healthy nutrients and fiber.
- Remember that citrus fruits and juices, such as grapefruit, can interact with certain medications, so check with your doctor or pharmacist to see if they're OK for you.
- If you choose canned fruit or juice, make sure no sugar is added.

### **Dairy: 2 to 3 servings a day**

Milk, yogurt, cheese and other dairy products are major sources of calcium, vitamin D and protein. But the key is to make sure that you choose dairy products that are low fat or fat-free because otherwise they can be a major source of fat — and most of it is saturated. Examples of one serving include 1 cup skim or 1 percent milk, 1 cup low fat yogurt, or 1 1/2 ounces part-skim cheese.

- Low-fat or fat-free frozen yogurt can help you boost the amount of dairy products you eat while offering a sweet treat. Add fruit for a healthy twist.
- If you have trouble digesting dairy products, choose lactose-free products or consider taking an over-the-counter product that contains the enzyme lactase, which can reduce or prevent the symptoms of lactose intolerance.
- Go easy on regular and even fat-free cheeses because they are typically high in sodium.

### **Lean meat, poultry and fish: 6 servings or fewer a day**

Meat can be a rich source of protein, B vitamins, iron and zinc. Choose lean varieties and aim for no more than 6 ounces a day. Cutting back on your meat portion will allow room for more vegetables.

- Trim away skin and fat from poultry and meat and then bake, broil, grill or roast instead of frying in fat.
- Eat heart-healthy fish, such as salmon, herring and tuna. These types of fish are high in omega-3 fatty acids, which can help lower your total cholesterol.

### **Nuts, seeds and legumes: 4 to 5 servings a week**

Almonds, sunflower seeds, kidney beans, peas, lentils and other foods in this family are good sources of magnesium, potassium and protein. They're also full of fiber and phytochemicals, which are plant compounds that may protect against some cancers and cardiovascular disease.

Serving sizes are small and are intended to be consumed only a few times a week because these foods are high in calories. Examples of one serving include 1/3 cup nuts, 2 tablespoons seeds, or 1/2 cup cooked beans or peas.

- Nuts sometimes get a bad rap because of their fat content, but they contain healthy types of fat — monounsaturated fat and omega-3 fatty acids. They're high in calories, however, so eat them in moderation. Try adding them to stir-fries, salads or cereals.
- Soybean-based products, such as tofu and tempeh, can be a good alternative to meat because they contain all of the amino acids your body needs to make a complete protein, just like meat.

### **Fats and oils: 2 to 3 servings a day**

Fat helps your body absorb essential vitamins and helps your body's immune system. But too much fat increases your risk of heart disease, diabetes and obesity. The DASH diet strives for a healthy balance by limiting total fat to less than 30 percent of daily calories from fat, with a focus on the healthier monounsaturated fats.

Examples of one serving include 1 teaspoon soft margarine, 1 tablespoon mayonnaise or 2 tablespoons salad dressing.

- Saturated fat and trans fat are the main dietary culprits in increasing your risk of coronary artery disease. DASH helps keep your daily saturated fat to less than 6 percent of your total calories by limiting use of meat, butter, cheese, whole milk, cream and eggs in your diet, along with foods made from lard, solid shortenings, and palm and coconut oils.
- Avoid trans fat, commonly found in such processed foods as crackers, baked goods and fried items.
- Read food labels on margarine and salad dressing so that you can choose those that are lowest in saturated fat and free of trans fat.

### **Sweets: 5 servings or fewer a week**

You don't have to banish sweets entirely while following the DASH diet — just go easy on them. Examples of one serving include 1 tablespoon sugar, jelly or jam, 1/2 cup sorbet, or 1 cup lemonade.

- When you eat sweets, choose those that are fat-free or low-fat, such as sorbets, fruit ices, jelly beans, hard candy, graham crackers or low-fat cookies.
- Artificial sweeteners such as aspartame (NutraSweet, Equal) and sucralose (Splenda) may help satisfy your sweet tooth while sparing the sugar. But remember that you still must use them sensibly. It's OK to swap a diet cola for a regular cola, but not in place of a more nutritious beverage such as low-fat milk or even plain water.
- Cut back on added sugar, which has no nutritional value but can pack on calories.

Drinking too much alcohol can increase blood pressure. The Dietary Guidelines for Americans recommends that men limit alcohol to no more than two drinks a day and women to one or less.

The DASH diet doesn't address caffeine consumption. The influence of caffeine on blood pressure remains unclear. But caffeine can cause your blood pressure to rise at least temporarily. If you already have high blood pressure or if you think caffeine is affecting your blood pressure, talk to your doctor about your caffeine consumption.

While the DASH diet is not a weight-loss program, you may indeed lose unwanted pounds because it can help guide you toward healthier food choices.

The DASH diet generally includes about 2,000 calories a day. If you're trying to lose weight, you may need to eat fewer calories. You may also need to adjust your serving goals based on your individual circumstances — something your health care team can help you decide.

The foods at the core of the DASH diet are naturally low in sodium. So just by following the DASH diet, you're likely to reduce your sodium intake. You also reduce sodium further by:

- Using sodium-free spices or flavorings with your food instead of salt
- Not adding salt when cooking rice, pasta or hot cereal
- Rinsing canned foods to remove some of the sodium
- Buying foods labeled "no salt added," "sodium-free," "low sodium" or "very low sodium"

One teaspoon of table salt has 2,325 mg of sodium. When you read food labels, you may be surprised at just how much sodium some processed foods contain. Even low-fat soups, canned vegetables, ready-to-eat cereals and sliced turkey from the local deli — foods you may have considered healthy — often have

lots of sodium.

You may notice a difference in taste when you choose low-sodium food and beverages. If things seem too bland, gradually introduce low-sodium foods and cut back on table salt until you reach your sodium goal. That'll give your palate time to adjust.

Using salt-free seasoning blends or herbs and spices may also ease the transition. It can take several weeks for your taste buds to get used to less salty foods.

Try these strategies to get started on the DASH diet:

- **Change gradually.** If you now eat only one or two servings of fruits or vegetables a day, try to add a serving at lunch and one at dinner. Rather than switching to all whole grains, start by making one or two of your grain servings whole grains. Increasing fruits, vegetables and whole grains gradually can also help prevent bloating or diarrhea that may occur if you aren't used to eating a diet with lots of fiber. You can also try over-the-counter products to help reduce gas from beans and vegetables.
- **Reward successes and forgive slip-ups.** Reward yourself with a nonfood treat for your accomplishments — rent a movie, purchase a book or get together with a friend. Everyone slips, especially when learning something new. Remember that changing your lifestyle is a long-term process. Find out what triggered your setback and then just pick up where you left off with the DASH diet.
- **Add physical activity.** To boost your blood pressure lowering efforts even more, consider increasing your physical activity in addition to following the DASH diet. Combining both the DASH diet and physical activity makes it more likely that you'll reduce your blood pressure.
- **Get support if you need it.** If you're having trouble sticking to your diet, talk to your doctor or dietitian about it. You might get some tips that will help you stick to the DASH diet.

Remember, healthy eating isn't an all-or-nothing proposition. What's most important is that, on average, you eat healthier foods with plenty of variety — both to keep your diet nutritious and to avoid boredom or extremes. And with the DASH diet, you can have both.

## References

1. In brief: Your guide to lowering your blood pressure with DASH. National Heart, Lung, and Blood Institute. <http://www.nhlbi.nih.gov/health/resources/heart/hbp-dash-in-brief-html>. Accessed March 7, 2016.
2. Hypertension. First consult. <https://www.clinicalkey.com>. Accessed March 7, 2016.
3. Sheps SG, ed. Mayo Clinic: 5 Steps to Controlling High Blood Pressure. Rochester, Minn.: Mayo Foundation for Medical Education and Research; 2015.
4. Zeratsky KA (expert opinion). Mayo Clinic, Rochester, Minn. March 11, 2016.
5. Kwan M W-M, et al. Compliance with the Dietary Approaches to Stop Hypertension (DASH) diet: A systematic review. PLOS One. 2013;8:1.
6. Executive summary: Dietary Guidelines for Americans, 2015-2020. U.S. Department of Health and Human Services. <http://health.gov/dietaryguidelines/2015/guidelines/executive-summary/>. Accessed March 7, 2016.
7. Sodium and food sources. Centers for Disease Control and Prevention. <http://www.cdc.gov/salt/food.htm>. Accessed March 7,

2016.

8. Top 10 sources of sodium. Centers for Disease Control and Prevention. <http://www.cdc.gov/salt/sources.htm>. Accessed March 7, 2016.
9. Sodium in your diet: Use the Nutrition Facts label and reduce your intake. U.S. Food and Drug Administration. <http://www.fda.gov/Food/ResourcesForYou/Consumers/ucm315393.htm>. Accessed March 7, 2016.
10. Your guide to lowering blood pressure with DASH. National Heart, Lung, and Blood Institute. <http://www.nhlbi.nih.gov/health/resources/heart/hbp-dash-introduction-html>. Accessed March 7, 2016.
11. Johnson R, et al. Nonpharmacologic prevention and treatment of hypertension. In: Comprehensive Clinical Nephrology. 5th ed. Philadelphia, Pa.: Saunders Elsevier; 2015. <http://www.clinicalkey.com>. Accessed March 7, 2016.
12. Get the facts: Sodium and the dietary guidelines. Centers for Disease Control and Prevention. [http://www.cdc.gov/salt/pdfs/sodium\\_dietary\\_guidelines.pdf](http://www.cdc.gov/salt/pdfs/sodium_dietary_guidelines.pdf). Accessed March 10, 2016.
13. Colditz GA. Healthy diet in adults. <http://www.uptodate.com/home>. Accessed March 7, 2016.
14. Shaking the salt habit. American Heart Association. [http://www.heart.org/HEARTORG/Conditions/HighBloodPressure/Preventi...ressure/Shaking-the-Salt-Habit\\_UCM\\_303241\\_Article.jsp#.VuD\\_dsfAju8](http://www.heart.org/HEARTORG/Conditions/HighBloodPressure/Preventi...ressure/Shaking-the-Salt-Habit_UCM_303241_Article.jsp#.VuD_dsfAju8). Accessed March 10, 2016.
15. Reducing sodium in a salty world. American Heart Association. [http://www.heart.org/HEARTORG/HealthyLiving/HealthyEating/HealthyDi...ducing-Sodium-in-a-Salty-World\\_UCM\\_457519\\_Article.jsp#.VuD81cfAju8](http://www.heart.org/HEARTORG/HealthyLiving/HealthyEating/HealthyDi...ducing-Sodium-in-a-Salty-World_UCM_457519_Article.jsp#.VuD81cfAju8). Accessed March 10, 2016.
16. Whole grains and fiber. American Heart Association. [http://www.heart.org/HEARTORG/HealthyLiving/HealthyEating/HealthyDietGoals/Whole-Grains-and-Fiber\\_UCM\\_303249\\_Article.jsp#.VuHZU5MrLow](http://www.heart.org/HEARTORG/HealthyLiving/HealthyEating/HealthyDietGoals/Whole-Grains-and-Fiber_UCM_303249_Article.jsp#.VuHZU5MrLow). Accessed March 7, 2016.

April 08, 2016

Original article: <http://www.mayoclinic.org/healthy-lifestyle/nutrition-and-healthy-eating/in-depth/dash-diet/art-20048456>

---

Any use of this site constitutes your agreement to the Terms and Conditions and Privacy Policy linked below.

[Terms and Conditions](#)

[Privacy Policy](#)

[Notice of Privacy Practices](#)

[Notice of Nondiscrimination](#)

Mayo Clinic is a not-for-profit organization and proceeds from Web advertising help support our mission. Mayo Clinic does not endorse any of the third party products and services advertised.

[Advertising and sponsorship policy](#)

[Advertising and sponsorship opportunities](#)

A single copy of these materials may be reprinted for noncommercial personal use only. "Mayo," "Mayo Clinic," "MayoClinic.org," "Mayo Clinic Healthy Living," and the triple-shield Mayo Clinic logo are trademarks of Mayo Foundation for

Medical Education and Research.

---

© 1998-2017 Mayo Foundation for Medical Education and Research (MFMER). All rights reserved.



---

## Healthy Lifestyle

# Nutrition and healthy eating

**Interested in following the DASH eating plan but not sure how? Here are sample menus to get you started.**

By [Mayo Clinic Staff](#)

Dietary Approaches to Stop Hypertension (DASH) is an eating plan to lower or control high blood pressure. The DASH diet emphasizes foods that are lower in sodium as well as foods that are rich in potassium, magnesium and calcium — nutrients that help lower blood pressure.

The DASH diet features menus with plenty of vegetables, fruits and low-fat dairy products, as well as whole grains, fish, poultry and nuts. It offers limited portions of red meats, sweets and sugary beverages.

Maybe you want to try the DASH diet but aren't quite sure how to incorporate DASH into your own daily menus. To help you get started, here are three days of menus that conform to the DASH plan. Use these menus as a basis for your own healthy meal planning.

Remember that on some days, you may eat a few more or a few less servings than recommended for a particular food group. That's generally OK, as long as the average of several days or a week is close to the recommendations. The exception is sodium. Try to stay within the daily limit for sodium as much as possible. Also note that the values for nutritional information may vary according to specific brands of ingredients you use or changes you make in meal preparation.

## Breakfast

- 1 store-bought (commercial) whole-wheat bagel with 2 tablespoons peanut butter (no salt added)
- 1 medium orange
- 1 cup fat-free milk
- Decaffeinated coffee

## Lunch

Spinach salad made with:

- 4 cups of fresh spinach leaves



- 1 sliced pear
- 1/2 cup canned mandarin orange sections
- 1/3 cup slivered almonds
- 2 tablespoons red wine vinaigrette

12 reduced-sodium wheat crackers

1 cup fat-free milk

## Dinner

- Herb-crusted baked cod, 3 ounces cooked (about 4 ounces raw)
- 1/2 cup brown rice pilaf with vegetables
- 1/2 cup fresh green beans, steamed
- 1 small sourdough roll
- 2 teaspoons olive oil
- 1 cup fresh berries with chopped mint
- Herbal iced tea

## Snack (anytime)

- 1 cup fat-free, low-calorie yogurt
- 4 vanilla wafers

### Day 1 nutritional analysis

---

Calories:	2,015	Cholesterol:	70 mg
Total fat:	70 g	Sodium:	1,607 mg
Saturated fat:	10 g	Total carbohydrate:	267 g
Trans fat:	0 g	Dietary fiber:	39 g
Monounsaturated fat:	25 g	Sugars:	109 g
Potassium:	3,274 mg	Protein:	90 g
Calcium:	1,298 mg	Magnesium:	394 mg

### Day 1 DASH servings

---

Grains and grain products:	7
Vegetables:	5
Fruits:	4
Dairy foods (low-fat or fat-free):	3
Meats, poultry and fish:	3
Nuts, seeds and dry beans:	2
Fats and oils:	3
Sweets:	1

---

## Breakfast

- 1 cup fresh mixed fruits, such as melons, banana, apple and berries, topped with 1 cup fat-free, low-calorie vanilla-flavored yogurt and 1/3 cup walnuts
- 1 bran muffin
- 1 teaspoon trans-free margarine
- 1 cup fat-free milk
- Herbal tea

## Lunch

Curried chicken wrap made with:

- 1 medium whole-wheat tortilla
- 2/3 cup cooked, chopped chicken, about 3 ounces
- 1/2 cup chopped apple
- 2 tablespoons light mayonnaise\*
- 1/2 teaspoon curry powder

1/2 cup, or about 8, raw baby carrots

1 cup fat-free milk

## Dinner

- 1 cup cooked whole-wheat spaghetti with 1 cup marinara sauce, no added salt

- 2 cups mixed salad greens
- 1 tablespoon low-fat Caesar dressing
- 1 whole-wheat roll
- 1 teaspoon olive oil
- 1 nectarine
- Sparkling water

## Snack (anytime)

Trail mix made with:

- 1/4 cup raisins
- 1 ounce, or about 22, unsalted mini twist pretzels
- 2 tablespoons sunflower seeds

\*Fat-free spreads still have calories, so count as 1 fat serving.

### Day 2 nutritional analysis

Calories:	2,193	Cholesterol:	99 mg
Total fat:	70 g	Sodium:	1,854 mg
Saturated fat:	11 g	Total carbohydrate:	324 g
Trans fat:	0 g	Dietary fiber:	38 mg
Monounsaturated fat:	16 g	Sugars:	135 g
Potassium:	4,219 mg	Protein:	95 g
Calcium:	1,370 mg	Magnesium:	495 mg

### Day 2 DASH servings

Grains and grain products:	7
Vegetables:	5
Fruits:	5

---

Dairy foods (low-fat or fat-free):	3
Meats, poultry and fish:	3
Nuts, seeds and dry beans:	2
Fats and oils:	3
Sweets:	0

---

## Breakfast

- 1 cup old-fashioned cooked oatmeal\* topped with 1 teaspoon cinnamon
- 1 slice whole-wheat toast
- 1 teaspoon trans-free margarine
- 1 banana
- 1 cup fat-free milk

## Lunch

Tuna salad made with:

- 1/2 cup drained, unsalted water-packed tuna, 3 ounces
- 2 tablespoons fat-free mayonnaise
- 15 grapes
- 1/4 cup diced celery
- Served on top of 2 cups romaine lettuce

8 Melba toast crackers

1 cup fat-free milk

## Dinner

Beef and vegetable kebab, made with:

- 3 ounces of beef
- 1 cup of peppers, onions, mushrooms and cherry tomatoes

1 cup cooked wild rice

1/3 cup pecans

1 cup pineapple chunks

Cran-raspberry spritzer made with:

- 4 ounces cran-raspberry juice
- 4 to 8 ounces sparkling water

## Snack (anytime)

- 1 cup light yogurt
- 1 medium peach

\*To further reduce sodium, don't add salt when cooking the oatmeal.

### Day 3 nutritional analysis

Calories:	1,868	Cholesterol:	114 mg
Total fat:	45 g	Sodium:	1,332 mg
Saturated fat:	0 g	Total carbohydrate:	277 g
Trans fat:	7 g	Dietary fiber:	29 g
Monounsaturated fat:	19 g	Sugars:	125 g
Potassium:	4,170 mg	Protein:	103 g
Calcium:	1,083 mg	Magnesium:	423 mg

### Day 3 DASH servings

Grains and grain products:	6
Vegetables:	5
Fruits:	5
Dairy foods (low-fat or fat-free):	3
Meats, poultry and fish:	6
Nuts, seeds and dry beans:	1

---

Fats and oils:	3
----------------	---

---

Sweets:	0
---------	---

## References

1. What is the DASH eating plan? National Heart, Lung, and Blood Institute. <http://www.nhlbi.nih.gov/health/health-topics/topics/dash>. Accessed Feb. 10, 2015.
2. Saneei P, et al. Influence of Dietary Approaches to Stop Hypertension (DASH) diet on blood pressure: A systematic review and meta-analysis on randomized controlled trials. *Nutrition, Metabolism and Cardiovascular Diseases*. 2014;24:1253.
3. Your guide to lowering your blood pressure with DASH: A week with the DASH eating plan. National Heart, Lung, and Blood Institute. <http://www.nhlbi.nih.gov/health/resources/heart/hbp-dash-week-dash.html>. Accessed Feb. 10, 2015.
4. Zeratsky KA (expert opinion). Mayo Clinic, Rochester, Minn. Feb. 10, 2015.
5. Nutritionist Pro diet analysis (computer program). Stafford, Texas: Axya Systems; 2008. <http://www.nutritionistpro.com/dietanalysis.php>. Accessed Feb. 10, 2015.

April 10, 2015

Original article: <http://www.mayoclinic.org/healthy-lifestyle/nutrition-and-healthy-eating/in-depth/dash-diet/art-20047110>

---

Any use of this site constitutes your agreement to the Terms and Conditions and Privacy Policy linked below.

[Terms and Conditions](#)

[Privacy Policy](#)

[Notice of Privacy Practices](#)

[Notice of Nondiscrimination](#)

Mayo Clinic is a not-for-profit organization and proceeds from Web advertising help support our mission. Mayo Clinic does not endorse any of the third party products and services advertised.

[Advertising and sponsorship policy](#)

[Advertising and sponsorship opportunities](#)

A single copy of these materials may be reprinted for noncommercial personal use only. "Mayo," "Mayo Clinic," "MayoClinic.org," "Mayo Clinic Healthy Living," and the triple-shield Mayo Clinic logo are trademarks of Mayo Foundation for Medical Education and Research.

---

© 1998-2017 Mayo Foundation for Medical Education and Research (MFMER). All rights reserved.



A healthy, well-balanced diet means eating food from a variety of food groups to get the energy and nutrients that your body needs. There's no one type of food that can provide all the nutrients a human body needs – so it's important to eat a wide range of foods. Why is healthy eating important? Following a healthy diet can help you to feel your best. It can also help you to – Current dietary patterns in the UK. Oxford handbook of nutrition and dietetics. Oxford Medicine Online. oxfordmedicine.com, published online April 2020. Fruit and vegetables – how to get five-a-day: food fact sheet. You can master healthy eating by learning how to plan meals and shop smart, and by practicing healthy-cooking techniques. – Nutrition basics come down to eating a variety of wholesome foods that support your health. Want to go beyond the nutrition basics? Talk to your doctor or a dietitian for personalized dietary advice that takes into account your health status, lifestyle, and food preferences. Healthy diets. Healthy Weight, Nutrition, and Physical Activity. Section Navigation. CDC Home. – An eating plan that helps manage your weight includes a variety of healthy foods. Add an array of colors to your plate and think of it as eating the rainbow. Dark, leafy greens, oranges, and tomatoes – even fresh herbs – are loaded with vitamins, fiber, and minerals. Adding frozen peppers, broccoli, or onions to stews and omelets gives them a quick and convenient boost of color and nutrients. According to the Dietary Guidelines for Americans 2015 – 2020 external icon, a healthy eating plan – Eat smaller amounts. If your favorite higher-calorie food is a chocolate bar, have a smaller size or only half a bar. Try a lower-calorie version. Healthy Eating and Nutrition News Stories. Nutrition Related Curricula. Parent Tips and Handbook. Families Finding the Balance: A Parent Handbook (122 KB PDF). Offers practical tips to help parents help their families find the right balance of eating well and being physically active to maintain a healthy weight. Available in Spanish: Nosotros Podemos! Familias Encontrando el Balance: Manual para Padres (1.9 MB PDF). Nutrition Basics. Eat Healthy, Move More Chart (122 KB PDF). Use this chart to track what your family is doing to eat healthy and move more each week. – CATCH Kids Club is an NHLBI-funded study, created a school health education curriculum designed to motivate heart-healthy behavior in children in grades K-5 in after-school and summer camp settings. Although eating healthy can be fairly simple, the rise in popular – diets – and dieting trends has caused confusion. In fact, these trends often distract from the basic nutrition principles that are most important. This is a detailed beginner – s guide to healthy eating, based on the latest in nutrition science. Share on Pinterest. Why Should You Eat Healthy? Research continues to link serious diseases to a poor diet (1, 2). For example, eating healthy can drastically reduce your chances of developing heart disease and cancer, the world – s leading killers (3, 4, 5). A good diet can improve all aspe